

Datasheet for ABIN2810425

anti-BRD2 antibody (AA 301-400) (AbBy Fluor® 594)



		oo to oaaot pago

Overview	
Quantity:	100 μL
Target:	BRD2
Binding Specificity:	AA 301-400
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRD2 antibody is conjugated to AbBy Fluor® 594
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human BRD2
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Chicken, Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	BRD2
Alternative Name:	BRD2 (BRD2 Products)
Background:	Synonyms: BRD 2, Brd2, BRD2_HUMAN, Bromodomain containing 2, BROMODOMAIN

CONTAIN	IING PROTEIN2, Bromodomain-containing protein 2, D6S113E, DKFZp686N0336,
female ste	erile homeotic related gene 1, FLJ31942, FSH, FSRG1, KIAA9001, NAT, 027.1.1, Really
interesting	g new gene 3 protein, Ring3, RING3 PROTEIN, RNF3.

Background: The bromodomain-containing proteins include BRD2, BRD3, BRD4 and BRDT. BRD2 (RING3 protein) is a mitogen-activated nuclear protein whose gene is located in the human MHC II region, suggesting its relation to HLA-associated diseases. The gene encoding BRD3 (RING3-like protein) contains two bromodomains and maps to chromosome 9q34. BRD4 (HUNK1 protein) is a nuclear protein involved in the regulation of chromosomal dynamics during mitosis. The testis-specific bromodomain protein BRDT contains a PEST sequence, indicating that it undergoes rapid intracellular degradation. The bromodomain-containing proteins are ubiquitously expressed.

Gene ID: 6046

Pathways: Chromatin Binding, SARS-CoV-2 Protein Interactome, The Global Phosphorylation Landscape of

SARS-CoV-2 Infection

Application Details

Application Notes:	F(IHC-P) 1:50-200
--------------------	-------------------

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	_	
-	II	1:
-	-222	una
-	Hand	1111()

Expiry Date:

12 months