

# Datasheet for ABIN2810438

# anti-BRMS1 antibody (AA 151-246) (AbBy Fluor® 594)



Go to Product page

_			
( )	V/C	rv	٨/

Quantity:	100 μL	
Target:	BRMS1	
Binding Specificity:	AA 151-246	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BRMS1 antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		

Immunogen:	KLH conjugated synthetic peptide derived from human BRMS1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Pig,Horse	
Purification:	Purified by Protein A.	

# Target Details

Target:	BRMS1	
Alternative Name:	BRMS1 (BRMS1 Products)	

#### **Target Details**

Background:

Synonyms: Breast cancer metastasis suppressor 1, Breast cancer metastasis-suppressor 1, BRMS-1, BRMS1\_HUMAN, DKFZp564A063, MGC95128, AV003220, AW554636.

Background: Breast cancer metastasis-suppressor 1 (BRMS1) is 246 amino acid protein that acts as a mediator of metastasis suppression in several types of cancer including ovarian, lung, bladder, and murine mammary. BRMS1 mRNA is expressed in various tissues, including ovary, prostate, testis, and colon, but the protein is primarily detected in term placenta. BRMS1 suppresses metastasis without inhibiting tumorigenicity by modifying several metastasis-associated phenotypes. BRMS1 may participate in transcriptional regulation by binding to the mSin3/histone deacetylase complex. The expression of BRMS1 in certain cells increases connexin Cx43 expression and reduces connexin Cx32 expression. This produces a gap junction that increases intercellular communication, similar to those found in normal breast tissue. BRMS1 is stabilized by Hsp90 and may inhibit NF-\_B activity.

## **Application Details**

	11	
Δnr	lication	NUTAC:
$\neg$ v	ilication	INOICS.

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months