# antibodies -online.com





# anti-CARD14 antibody (AA 1-100) (AbBy Fluor® 594)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	CARD14	
Binding Specificity:	AA 1-100	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CARD14 antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CARD14	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	

## Target Details

Target:	CARD14
Alternative Name:	CARD14 (CARD14 Products)

## **Target Details**

Background:	Synonyms: Bcl10 interacting MAGUK protein 2, Bimp 2, Bimp2, CARD 14, CARD containing
	MAGUK 2 protein, CARD containing MAGUK protein 2, Card maguk protein 2, Carma 2, Carma 2,
	Caspase recruitment domain containing protein 14, Caspase recruitment domain family
	member 14, Caspase recruitment domain protein 14, CAR14_HUMAN.
	Background: The protein encoded by this gene belongs to the membrane-associated guanylate
	kinase (MAGUK) family, a class of proteins that functions as molecular scaffolds for the
	assembly of multiprotein complexes at specialized regions of the plasma membrane. This
	protein is also a member of the CARD protein family, which is defined by carrying a
	characteristic caspase-associated recruitment domain (CARD). This protein shares a similar
	domain structure with CARD11 protein. The CARD domains of both proteins have been shown
	to specifically interact with BCL10, a protein known to function as a positive regulator of cell
	apoptosis and NF-kappaB activation. When expressed in cells, this protein activated NF-kappaB
	and induced the phosphorylation of BCL10. Two alternatively spliced variants of this gene
	encoding distinct isoforms have been reported.
Gene ID:	79092
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	_	
-	II	1:
-	-222	una
-	Hand	1111()

Expiry Date:

12 months