

Datasheet for ABIN2811447

anti-CDC6 antibody (AbBy Fluor® 594)



()	ve	r\/i		۱۸/
\cup	V C	1 / 1	$\overline{}$	٧V

Quantity:	100 μL	
Target:	CDC6	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDC6 antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Cdc6	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	
Target Details		
Target:	CDC6	
Alternative Name:	Cdc6 (CDC6 Products)	
Background:	Synonyms: Cell Division Cycle protein 6, Cdc 18L, Cdc 6, CDC18 cell division cycle 18, S.pombe, homolog like, CDC18 S.pombe, CDC18 like, CDC18S.pombe, Cdc18L, CDC6 related protein, Cdc6p, Cell cycle controller, Cell division control protein 6, Cell division control protein 6	

homolog, Cell division cycle 18, Cell division cycle 18 homolog, Cell division cycle 6 homolog,

Cell division cycle 6 protein, HsCDC 18, HsCDC 6, HsCDC18, HsCDC6, p62, p62cdc 6, p62cdc 6. Background: Cell cycle events are regulated by the sequential activation and deactivation of cyclin depended kinase (Cdks) and by the proteolysis of cyclins. The cell division cycle (Cdc) genes are required at various points in the cell cycle. Cdc6 is the human homolog of Saccharomyces cerevisiae Cdc6, which is involved in the initiation of DNA replication. Cdc6 is essential for assembling the pre-replicative complex that forms at origins of DNA replication in the G1 phase of the cell cycle in budding yeast (S. cerevisiae). Cdc6 is also involved in checkpoint controls that ensure that DNA replication is completed before initiation of mitosis.

Gene ID:

990

Pathways:

DNA Replication, Synthesis of DNA

Application Details

Application Notes:	IF(IHC-P)(1:50-200)
Restrictions:	For Research Use only

Handling

Hariding	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months