

Datasheet for ABIN2811582

anti-CCT8L2 antibody (AA 509-557) (AbBy Fluor® 594)



Go to Product page

()	ve	r\/i	۱۸/
\cup	V C	1 / 1	 ٧V

Background:

Quantity:	100 μL
Target:	CCT8L2
Binding Specificity:	AA 509-557
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCT8L2 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human CESK1
	KLH conjugated synthetic peptide derived from human CESK1
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Predicted Reactivity:	IgG Human
Immunogen: Isotype: Predicted Reactivity: Purification:	IgG Human

Synonyms: CCT8L2, KCNMB3L, T complex protein 1, CESK1, chaperonin containing TCP1,

subunit 8 theta-like 2, Putative T-complex protein 1 subunit theta-like 2, T complex	protein 1,
chaperonin containing TCP1, subunit 8 theta-like 2, TCPQM_HUMAN.	

Background: CESK1, also known as CCT8L2 (chaperonin containing TCP1, subunit 8 theta-like 2), is a 557 amino acid protein that localizes to the cytoplasm and is thought to function as a molecular chaperone, possibly assisting protein folding after ATP hydrolysis. CESK1 belongs to the TCP-1 chaperonin family and is encoded by a gene which maps to human chromosome 22. Mutations in several of the genes that map to chromosome 22 are involved in the development of Phelan-McDermid syndrome, neurofibromatosis type 2, autism and schizophrenia. Additionally, translocations between chromosomes 9 and 22 may lead to the formation of the Philadelphia chromosome and the subsequent production of the novel fusion protein Bcr-Abl, a potent cell proliferation activator found in several types of leukemias.

Gene ID:

150160

Application Details

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months