

Datasheet for ABIN2812864

anti-Ephrin B1 antibody (pTyr324, pTyr329) (AbBy Fluor® 594)



Go to Product page

Overview	
Quantity:	100 μL
Target:	Ephrin B1 (EFNB1)
Binding Specificity:	pTyr324, pTyr329
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ephrin B1 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human Ephrin B around the phosphorylation site of Tyr324/329
Isotype:	IgG
Specificity:	These phosphorylation sites are homologous to Tyr323 + Tyr328 in Mouse.
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	Ephrin B1 (EFNB1)

Target Details

Alternative Name:	EFNB1 (EFNB1 Products)
Background:	Synonyms: CFND, CFNS, EFB1, EFL3, EPLG2, Elk-L, LERK2, Ephrin-B1, EFL-3, ELK ligand, EPH-
	related receptor tyrosine kinase ligand 2, LERK-2, EFNB1
	Background: Binds to the receptor tyrosine kinases EPHB1 and EPHA1. Binds to, and induce the
	collapse of, commissural axons/growth cones in vitro. May play a role in constraining the
	orientation of longitudinally projecting axons (By similarity). Cell surface transmembrane ligand
	for Eph receptors, a family of receptor tyrosine kinases which are crucial for migration,
	repulsion and adhesion during neuronal, vascular and epithelial development. Binds
	promiscuously Eph receptors residing on adjacent cells, leading to contact-dependent
	bidirectional signaling into neighboring cells. The signaling pathway downstream of the
	receptor is referred to as forward signaling while the signaling pathway downstream of the
	ephrin ligand is referred to as reverse signaling. Binds to the receptor tyrosine kinases EPHB3
	(preferred), EPHB1 and EPHA1. Binds to, and induce the collapse of, commissural
	axons/growth cones in vitro. May play a role in constraining the orientation of longitudinally
	projecting axons (By similarity).
Gene ID:	1947
UniProt:	P98172
Pathways:	RTK Signaling
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months