

## Datasheet for ABIN2813337

## anti-NeuN antibody (AA 51-150) (AbBy Fluor® 594)



Go to Product page

_			
( )	V/C	rv	٨/

Alternative Name:

Quantity:	100 μL
Target:	NeuN (RBFOX3)
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse, Rat, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NeuN antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human NeuN
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rabbit, Rat
Predicted Reactivity:	Dog,Cow,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	NeuN (RBFOX3)

FOX3/ NeuN (RBFOX3 Products)

## **Target Details**

Background:	Synonyms: FOX3, NEUN, FOX-3, HRNBP3, RNA binding protein fox-1 homolog 3, Fox-1 homolog	
	C, RBFOX3	
	Background: Vertebrate neuron-specific nuclear protein called NeuN (Neuronal Nuclei) is an	
	excellent marker for neurons in primary cultures and in retinoic acid-stimulated P19 cells. It is	
	also useful for identifying neurons in transplants. NeuN is a neuron-specific, DNA-binding	
	nuclear protein in vertebrates. In mice, NeuN is observed in most neuronal cell types throughout	
	the nervous system, including cerebellum, cerebral cortex, hippocampus, thalamus and spinal	
	cord, as well as the dorsal root ganglia, sympathetic chain ganglia and enteric ganglia of the	
	peripheral nervous system. NeuN immunoreactivity is first observed in neurons when they	
	become post-mitotic and are initiating cellular and morphological differentiation. No staining is	
	observed in proliferative zones. NeuN has been used as an immunohistochemical marker for	
	excitotoxic lesions of the brain as well as in the diagnosis of a wide range of human tissue	
	specimens from the central and peripheral nervous systems.	
Gene ID:	146713	
UniProt:	A6NFN3	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

-20 °C

Storage:

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months