

## Datasheet for ABIN2813753

## anti-GIT1 antibody (pTyr545) (AbBy Fluor® 594)



## Overview

Overview	
Quantity:	100 μL
Target:	GIT1
Binding Specificity:	pTyr545
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIT1 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human GIT1 around the phosphorylation site of Tyr545
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig
Purification:	Purified by Protein A.
Target Details	
Target:	GIT1
Alternative Name:	GIT1 (GIT1 Products)

## **Target Details**

Background:	Synonyms: GIT1 phospho Tyr545, p-GIT1 Tyr545, ARF GAP GIT1, ARF GTPase activating
	protein GIT1, CAT 1, Cat1, Cool associated and tyrosine phosphorylated protein 1, G protein
	coupled receptor kinase interactor 1, GRK interacting protein 1.
	Background: Heterotrimeric G protein-mediated signal transduction is a dynamically regulated
	process with the intensity of signal decreasing over time despite the continued presence of the
	agonist (1,2). G protein-coupled receptor kinases (GRKs) are activated by activated G protein-
	coupled receptors, and they function to phosphorylate and inactivate cell surface receptors in
	the heterotrimeric G protein signaling cascade (3,4). GIT1 (for GRK-interactor 1) and GIT2 are
	GTPase-activating proteins (GAP) for members of the ADP ribosylation factor (ARF) family of
	small GTP-binding proteins, which are involved in vesicular trafficking (5,6). GIT1
	overexpression results in reduced internalization and resensitization of b2-adrenergic receptor,
	thus reducing b2-adrenergic receptor signaling (5).
Gene ID:	28964
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months