

Datasheet for ABIN2813802

anti-Glucagon Receptor antibody (AA 11-110) (AbBy Fluor® 594)



Go to Product page

(\cup	٧	е	r١	/	e	V	/

Overview		
Quantity:	100 μL	
Target:	Glucagon Receptor (GCGR)	
Binding Specificity:	AA 11-110	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Glucagon Receptor antibody is conjugated to AbBy Fluor® 594	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)),	
	Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Glucagon Receptor	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Chicken,Guinea Pig	
Purification:	Purified by Protein A.	
Target Details		
Target:	Glucagon Receptor (GCGR)	

Target Details

Synonyms: GGR, GL-R, Glucagon receptor, GCGR	
Background: G-protein coupled receptor for glucagon that plays a central role in the regulation	
of blood glucose levels and glucose homeostasis. Regulates the rate of hepatic glucose	
production by promoting glycogen hydrolysis and gluconeogenesis. Plays an important role in	
mediating the responses to fasting. Ligand binding causes a conformation change that triggers	
signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of	
down-stream effectors, such as adenylate cyclase. Promotes activation of adenylate cyclase.	
Besides, plays a role in signaling via a phosphatidylinositol-calcium second messenger system.	
2642	
P47871	
Carbohydrate Homeostasis, Regulation of Carbohydrate Metabolic Process	
FCM 1:20-100	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
12 months	