
antibodies -online.com





anti-CLP1 antibody (AA 1-100) (AbBy Fluor® 594)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	CLP1
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLP1 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HEAB	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	CLP1	
Alternative Name:	HEAB (CLP1 Products)	
Background:	Synonyms: ATP/GTP binding protein, CLP 1, clp1, CLP1 cleavage and polyadenylation factor I	

subunit homolog, CLP1, cleavage and polyadenylation factor I subunit, homolog S. cerevisiae,
CLP1, yeast, homolog of, CLP1_HUMAN, hClp1, Homolog of yeast CFIA subunit Clp1p,
Polynucleotide kinase Clp1, Pre mRNA cleavage complex II protein Clp1, Pre-mRNA cleavage
complex II protein Clp1.

Background: HEAB is a 425 amino acid nuclear protein that belongs to the Clp1 family. Utilizing magnesium, manganese or nickel as cofactors, HEAB participates in the phosphorylation of the 5'-hydroxyl groups of double- and single- stranded RNA and DNA. HEAB is a member of the tRNA splicing endonuclease complex, in conjunction with TSEN2, TSEN15, TSEN34 and TSEN54, and is also a member of the pre-mRNA cleavage complex II. The gene encoding HEAB maps to human chromosome 11q12.1 and mouse chromosome 2 D, mutations to this gene may lead to a reduced pre-mRNA cleavage activity. HEAB exists as two isoforms due to alternative splicing events.

Gene ID: 1	0978
------------	------

Pathways: Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Application (Votes.	11 (11 10 1) 1.00 200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months