

Datasheet for ABIN2814543

anti-HSPB6 antibody (AA 6-80) (AbBy Fluor® 594)



Overview

Quantity:	100 μL
Target:	HSPB6
Binding Specificity:	AA 6-80
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSPB6 antibody is conjugated to AbBy Fluor® 594
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded
	Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human HSP20
Isotype:	
<i>7</i> 1	IgG
Cross-Reactivity:	lgG Human
Cross-Reactivity:	Human
Cross-Reactivity: Predicted Reactivity:	Human Mouse,Rat,Dog,Cow
Cross-Reactivity: Predicted Reactivity: Purification:	Human Mouse,Rat,Dog,Cow

Target Details

Racks	irai ind:
Dacku	round:

Synonyms: Heat Shock Protein 20, FLJ32389, Heat shock 20 kDa like protein p20, Heat shock protein alpha crystallin related B6, Heat shock protein beta 6, Hspb6, HSPB6_HUMAN.

Background: Hsp20 is a small heat shock protein related to Hsp25, Hsp27 and may form different hetercomplexes with these proteins. The specific physiological function of Hsp20 is not yet known. It is distributed ubiquitously in tissues, but is found in higher levels in skeletal, smooth and heart muscle. Under normal conditions, Hsp20 is diffusely distributed in the cytosol, but under heat stress conditions, it translocates to the nucleus. Unlike other heat shock proteins the amount of Hsp20 does not increase after heat shock. The Hsp20 was demonstrated to constitute up to 1.3 % of the total cellular protein in vertebrate tissues, especially in muscle, and its expression is related to muscle contraction, specifically in slow-twitch muscle. Hsp20 may form different heterocomplexes with other Hsp's, such as alphacrystalline and Hsp25. Phosphorylated form of Hsp20 is proposed to interact with monomeric actin whereas dephosphorylated form binds polymeric actin filaments. In normal conditions Hsp20 is diffusely disturbed in cytosol but under the heat stress it undergoes translocation to membrane fraction.

Gene ID:

126393

Application Details

Application Note	S
------------------	---

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months