



[Go to Product page](#)

Datasheet for ABIN2814929

## anti-IRS4 antibody (AA 401-500) (AbBy Fluor® 594)

### Overview

|                      |   |
|----------------------|---|
| Quantity:            | 100 µL  |
| Target:              | IRS4  |
| Binding Specificity: | AA 401-500  |
| Reactivity:          | Mouse, Rat  |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This IRS4 antibody is conjugated to AbBy Fluor® 594   |
| Application:         | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

### Product Details

|                   |   |
|-------------------|---|
| Immunogen:        | KLH conjugated synthetic peptide derived from mouse IRS-4 |
| Isotype:          | IgG   |
| Cross-Reactivity: | Mouse, Rat  |
| Purification:     | Purified by Protein A.                                    |

### Target Details

|                   |   |
|-------------------|---|
| Target:           | IRS4  |
| Alternative Name: | IRS-4 ( <a href="#">IRS4 Products</a> )   |
| Background:       | Synonyms: Insulin receptor substrate 4, IRS-4, Phosphoprotein of 160 kDa, pp160 |

## Target Details

---

Background: Acts as an interface between multiple growth factor receptors possessing tyrosine kinase activity, such as insulin receptor, IGF1R and FGFR1, and a complex network of intracellular signaling molecules containing SH2 domains. Involved in the IGF1R mitogenic signaling pathway. Promotes the AKT1 signaling pathway and BAD phosphorylation during insulin stimulation without activation of RPS6KB1 or the inhibition of apoptosis. Interaction with GRB2 enhances insulin-stimulated mitogen-activated protein kinase activity. May be involved in nonreceptor tyrosine kinase signaling in myoblasts. Plays a pivotal role in the proliferation/differentiation of hepatoblastoma cell through EPHB2 activation upon IGF1 stimulation. May play a role in the signal transduction in response to insulin and to a lesser extent in response to IL4 and GH on mitogenesis. Plays a role in growth, reproduction and glucose homeostasis. May act as negative regulators of the IGF1 signaling pathway by suppressing the function of IRS1 and IRS2.

---

Gene ID: 16370

---

UniProt: [Q9Z0Y7](#)

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Concentration: 1 µg/µL

---

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

## Handling

---

Expiry Date: 12 months