antibodies -online.com





Datasheet for ABIN2854339

anti-Septin 7 antibody





\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	Septin 7 (SEPT7)	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Septin 7 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the center region of human SEPT7. The	
	exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human, Zebrafish (Danio rerio)	
Characteristics:	Rabbit Polyclonal antibody to SEPT7 (septin 7)	
	SEPT7 antibody [N1C1]	
Purification:	Purified by antigen-affinity chromatography.	
Target Details		
Target:	Septin 7 (SEPT7)	
Alternative Name:	septin 7 (SEPT7 Products)	

Target Details

Bac	kar	'nΙ	ın	Ч.
Duo		\sim	<i>.</i>	ч.

This gene encodes a protein that is highly similar to the CDC10 protein of Saccharomyces cerevisiae. The protein also shares similarity with Diff 6 of Drosophila and with H5 of mouse. Each of these similar proteins, including the yeast CDC10, contains a GTP-binding motif. The yeast CDC10 protein is a structural component of the 10 nm filament which lies inside the cytoplasmic membrane and is essential for cytokinesis. Although the exact function of this gene has not yet been determined, its high similarity to yeast CDC10 and the high conservative nature of eukaryotic cell cycle machinery suggest a similar role to that of its yeast counterpart. Alternative splicing results in two transcript variants encoding different isoforms.

Cellular Localization: Cytoplasm, Kinetochore, Spindle

Molecular Weight:	51 kDa
Gene ID:	989
UniProt:	Q16181


Application Details

Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: Molt-4
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Concentration:	0.31 mg/mL	
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid	

multiple freeze-thaw cycles.



Western Blotting

Image 1. WB Image Sample (30 ug of whole cell lysate) A: MOLT4, 7.5% SDS PAGE antibody diluted at 1:500