antibodies -online.com





anti-AHSA1 antibody (Center)





Go to Product page


\sim							
	1//	\Box	$r \setminus$	/ [\bigcirc	1	٨,

Quantity:	100 μL	
Target:	AHSA1	
Binding Specificity:	Center	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This AHSA1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunocytochemistry (ICC), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		

Immunogen:	Recombinant protein encompassing a sequence within the center region of human AHA-1. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Rhesus Monkey
Cross-Reactivity (Details):	Rhesus Monkey (100 %)
Characteristics:	Rabbit Polyclonal antibody to AHA-1 (AHA1, activator of heat shock 90 kDa protein ATPase homolog 1 (yeast)) AHA-1 antibody [N1C1]
Purification:	Purified by antigen-affinity chromatography.


Target Details

rarget Details		
Target:	AHSA1	
Alternative Name:	AHA-1 (AHSA1 Products)	
Background:	Cochaperone that stimulates HSP90 ATPase activity (By similarity). May affect a step in the	
	endoplasmic reticulum to Golgi trafficking.	
	Cellular Localization: Cytoplasm , cytosol , Endoplasmic reticulum	
Molecular Weight:	38 kDa	
Gene ID:	10598	
Application Details		
Application Notes:	Suggested dilution Reference ICC/IF 1:100-1:1000* IHC (Formalin-fixed paraffin-embedded	
	sections) 1:100-1:1000* Western blot 1:500-1:3000* Not tested in other applications. *Optimal	
	dilutions/concentrations should be determined by the researcher. Suggested	
	dilutionReferenceICC/IF1:100-1:1000* IHC (Formalin-fixed paraffin-embedded sections)1:100-	
	1:1000* Western blot1:500-1:3000*	
Comment:	Positive Control: 293T , A431 , H1299 , HeLa , HepG2 , Molt-4 , Raji	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.98 mg/mL	
Buffer:	0.1M Tris, 0.1M Glycine, 10 % Glycerol (pH 7). 0.01 % Thimerosal was added as a preservative.	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE	
	which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Keep as concentrated solution. Aliquot and store at -20°C or below. Avoid multiple freeze-thaw	
	cycles.	




Western Blotting

Image 1. WB Image Sample (30 ug of whole cell lysate) A: 293T B: A431 , C: H1299 10% SDS PAGE antibody diluted at 1:1000



Immunohistochemistry

Image 2. IHC-P Image AHA-1 antibody [N1C1] detects AHA-1 protein at cytoplasm in mouse brain by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. AHA-1 antibody [N1C1], diluted at 1:500.



Immunohistochemistry

Image 3. IHC-P Image Immunohistochemical analysis of paraffin-embedded SW480 xenograft, using AHA-1 , antibody at 1:100 dilution.

Please check the product details page for more images. Overall 4 images are available for ABIN2855355.