.-online.com antibodies

Datasheet for ABIN2855677 anti-HSF2BP antibody

3 Images




Overview

Quantity:	100 µL
Target:	HSF2BP
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSF2BP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human HSF2BP.
	The exact sequence is proprietary.
Isotype:	lgG
Cross-Reactivity:	Human, Mouse
Characteristics:	Rabbit Polyclonal antibody to HSF2BP (heat shock transcription factor 2 binding protein)
	HSF2BP antibody
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	HSF2BP
Alternative Name:	heat shock transcription factor 2 binding protein (HSF2BP Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2855677 | 09/11/2023 | Copyright antibodies-online. All rights reserved.


Target Details	
Background:	HSF2 binding protein (HSF2BP) associates with HSF2. The interaction occurs between the trimerization domain of HSF2 and the amino terminal hydrophilic region of HSF2BP that comprises two leucine zipper motifs. HSF2BP may therefore be involved in modulating HSF2 activation.
Molecular Weight:	38 kDa
Gene ID:	11077
UniProt:	075031
Application Details	
Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: NT2D1 , SK-N-SH
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.93 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2855677 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 1. WB Image Sample (30 ug of whole cell lysate) A: NT2D1 B: SK-N-SH 10% SDS PAGE antibody diluted at 1:1000



Immunohistochemistry

Image 2. IHC-P Image Immunohistochemical analysis of paraffin-embedded U87 xenograft, using HSF2BP, antibody at 1:500 dilution.



Immunohistochemistry

Image 3. IHC-P Image Immunohistochemical analysis of paraffin-embedded mouse muscle, using HSF2BP, antibody at 1:500 dilution.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2855677 | 09/11/2023 | Copyright antibodies-online. All rights reserved.