.-online.com antibodies

Datasheet for ABIN2856241 anti-UTP6 antibody (Center)

3 Images



Overview

Quantity:	100 µL
Target:	UTP6
Binding Specificity:	Center
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UTP6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Northern Blotting (NB)

Product Details

Immunogen:	Recombinant protein encompassing a sequence within the center region of human UTP6. The exact sequence is proprietary.
Isotype:	IgG
Characteristics:	Rabbit Polyclonal antibody to UTP6 (UTP6, small subunit (SSU) processome component, homolog (yeast)) UTP6 antibody
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	UTP6

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2856241 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

UTP6 (UTP6 Products) Involved in nucleolar processing of pre-18S ribosomal RNA. Cellular Localization: Nucleus , nucleolus
Cellular Localization: Nucleus , nucleolus
70 kDa
55813
Suggested dilution Reference ICC/IF 1:100-1:1000* IHC (Formalin-fixed paraffin-embedded
sections) 1:100-1:1000* Northern blot Assay-dependent dilution Western blot 1:500-1:3000*
Immunoblotting Assay-dependent dilution Not tested in other applications. *Optimal
dilutions/concentrations should be determined by the researcher.Suggested
dilutionReferenceICC/IF1:100-1:1000* IHC (Formalin-fixed paraffin-embedded sections)1:100-
1:1000* Northern blotAssay-dependent dilution Western blot1:500-1:3000*
ImmunoblottingAssay-dependent dilution
Positive Control: HCT116
For Research Use only
Liquid
1 mg/mL
0.1M Tris, 0.1M Glycine, 10 % Glycerol (pH 7). 0.01 % Thimerosal was added as a preservative.
Thimerosal (Merthiolate)
This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE
which should be handled by trained staff only.
-20 °C
Keep as concentrated solution. Aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN2856241 | 09/11/2023 | Copyright antibodies-online. All rights reserved.








Image 1. WB Image Sample (30 ug of whole cell lysate) A: HCT116 7.5% SDS PAGE antibody diluted at 1:1000



Immunohistochemistry

Image 2. IHC-P Image UTP6 antibody detects UTP6 protein at nucleus on U251 xenograft by immunohistochemical analysis. Sample: Paraffin-embedded U251 xenograft. UTP6 antibody , dilution: 1:500.



Immunofluorescence

Image 3. ICC/IF Image Confocal immunofluorescence analysis (Olympus FV10i) of paraformaldehyde-fixed HeLa, using UTP6, antibody (green) at 1:500 dilution. Alpha-tubulin filaments were labeled with (red) at 1:2500.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2856241 | 09/11/2023 | Copyright antibodies-online. All rights reserved.