
antibodies -online.com







anti-CLUAP1 antibody

Images



Overview	
Quantity:	100 μL
Target:	CLUAP1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLUAP1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human CLUAP1.
	The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Characteristics:	Rabbit Polyclonal antibody to CLUAP1 (clusterin-associated protein 1)
	CLUAP1 antibody
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	CLUAP1
Alternative Name:	clusterin associated protein 1 (CLUAP1 Products)


Target Details

rarget Details	
Background:	May play a role in cell proliferation or apoptosis.
	Cellular Localization: Nucleus
Molecular Weight:	48 kDa
Gene ID:	23059
UniProt:	Q96AJ1
Application Details	
Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: HCT116
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE
	which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid

multiple freeze-thaw cycles.



Costained with Hoechst 33342



Immunofluorescence

Image 1. ICC/IF Image Immunofluorescence analysis of paraformaldehyde-fixed A549, using CLUAP1, antibody at 1:500 dilution.

Western Blotting

Image 2. WB Image Sample (30 ug of whole cell lysate) A: HCT116 10% SDS PAGE antibody diluted at 1:1000