antibodies - online.com







anti-FAM126A antibody

Images



\sim				
	11/6	٦r١	/10	۱۸.


Alternative Name:

Quantity:	100 μL
Target:	FAM126A
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM126A antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human FAM126A.
	The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Characteristics:	Rabbit Polyclonal antibody to FAM126A (family with sequence similarity 126, member A)
	FAM126A antibody [N3C3]
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	FAM126A

family with sequence similarity 126 member A (FAM126A Products)

Target Details

rarget Details		
Background:	The protein encoded by this gene may play a part in the beta-catenin/Lef signaling pathway.	
	Expression of this gene is down-regulated by beta-catenin. Defects in this gene are a cause of	
	hypomyelination with congenital cataract (HCC).	
	Cellular Localization: Cytoplasm , Membrane	
Molecular Weight:	58 kDa	
Gene ID:	84668	
UniProt:	Q9BYI3	
Application Details		
Application Notes:	WB: 1:1000-1:10000. Optimal dilutions/concentrations should be determined by the researcher	
	Not tested in other applications.	
Comment:	Positive Control: Raji , Mouse brain	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE	
	which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage	
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid	
	multiple freeze-thaw cycles.	



Western Blotting

Image 1. WB Image Sample (50 ug of whole cell lysate) A: mouse brain 7.5% SDS PAGE antibody diluted at 1:3000

Western Blotting

Image 2. WB Image Sample (30 ug of whole cell lysate) A: Raji 7.5% SDS PAGE antibody diluted at 1:10000