.-online.com antibodies

Datasheet for ABIN2856877 anti-BTLA antibody

2 Images




Overview

Quantity:	100 μL
Target:	BTLA
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BTLA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human CD272. The
	exact sequence is proprietary.
Isotype:	lgG
Cross-Reactivity:	Human
Characteristics:	Rabbit Polyclonal antibody to CD272 (B and T lymphocyte associated)
	CD272 antibody
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	BTLA
Alternative Name:	B and T lymphocyte associated (BTLA Products)


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2856877 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	33 kDa
Gene ID:	151888
UniProt:	Q7Z6A9
Pathways:	Cancer Immune Checkpoints
Application Details	
Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: A375
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE
	which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage
	(1.2 weeks) store at 1°C. For long tarms stored a biguet and store at 20°C or below Avaid
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.



Western Blotting

Image 1. WB Image CD272 antibody detects BTLA protein by Western blot analysis. A. 30 μ g A375 whole cell lysate/extract 10 % SDS-PAGE CD272 antibody , dilution: 1:1000



Immunohistochemistry

Image 2. IHC-P Image Immunohistochemical analysis of paraffin-embedded MDAMB468 xenograft, using CD272, antibody at 1:100 dilution.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2856877 | 09/11/2023 | Copyright antibodies-online. All rights reserved.