# antibodies -online.com





#### Datasheet for ABIN2856945

## anti-PMM2 antibody

**Images** 



$C \circ + \circ$	Dradi	10+	2000
Go to	PIOU	JCU	Daue

Overview	
Quantity:	100 μL
Target:	PMM2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PMM2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human PMM2. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Characteristics:	Rabbit Polyclonal antibody to PMM2 (phosphomannomutase 2) PMM2 antibody [N1C3]
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	PMM2
Alternative Name:	phosphomannomutase 2 (PMM2 Products)

### **Target Details**


Molecular Weight:	28 kDa
Gene ID:	5373
UniProt:	015305

## **Application Details**

Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: HeLa , HepG2
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	0.24 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.



#### **Immunohistochemistry**

**Image 1.** IHC-P Image Immunohistochemical analysis of paraffin-embedded U87 xenograft, using PMM2, antibody at 1:100 dilution.



#### **Western Blotting**

Image 2. WB Image Sample (30 ug of whole cell lysate) A: Hela B: Hep G2, 12% SDS PAGE antibody diluted at 1:1000