

Datasheet for ABIN2856946

**anti-NAT2 antibody****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	NAT2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAT2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	Recombinant protein encompassing a sequence within the center region of human NAT2. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Characteristics:	Rabbit Polyclonal antibody to NAT2 (N-acetyltransferase 2 (arylamine N-acetyltransferase)) NAT2 antibody [N1C2]
Purification:	Purified by antigen-affinity chromatography.

## Target Details

Target:	NAT2
Alternative Name:	N-acetyltransferase 2 ( <a href="#">NAT2 Products</a> )

## Target Details


Molecular Weight:	34 kDa
Gene ID:	10
UniProt:	<a href="#">P11245</a>

## Application Details

Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: A431 , H1299
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	0.45 mg/mL
Buffer:	0.1M Tris-Glycine ( pH 7), 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.



Western Blotting

**Image 1.** WB Image Sample (30 ug of whole cell lysate) A: A431 , B: H1299 12% SDS PAGE antibody diluted at 1:1000



Immunohistochemistry

**Image 2.** IHC-P Image Immunohistochemical analysis of paraffin-embedded A549 xenograft, using NAT2, antibody at 1:100 dilution.