# .-online.com antibodies

Datasheet for ABIN2856960 anti-IVD antibody

5 Images



## Overview

Quantity:	100 µL
Target:	IVD
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IVD antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

## Product Details


Immunogen:	Recombinant protein encompassing a sequence within the center region of human IVD. The exact sequence is proprietary.
lsotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Rabbit Polyclonal antibody to IVD (isovaleryl-CoA dehydrogenase) IVD antibody
Purification:	Purified by antigen-affinity chromatography.

## Target Details

Target:	IVD
Alternative Name:	isovaleryl-CoA dehydrogenase (IVD Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN2856960 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	46 kDa
Gene ID:	3712
UniProt:	P26440
Pathways:	Monocarboxylic Acid Catabolic Process
Application Details	
Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: Mouse brain , PC-12 , HeLa , Jurkat
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Concentration: Buffer:	1 mg/mL 0.1M Tris-Glycine ( pH 7), 20 % Glycerol, 0.01 % Thimerosal
Buffer:	0.1M Tris-Glycine ( pH 7), 20 % Glycerol, 0.01 % Thimerosal
Buffer: Preservative:	0.1M Tris-Glycine ( pH 7), 20 % Glycerol, 0.01 % Thimerosal Thimerosal (Merthiolate) This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE




#### Western Blotting

**Image 1.** WB Image Sample (50 ug of whole cell lysate) A: Mouse brain 10% SDS PAGE antibody diluted at 1:1000

### Western Blotting

**Image 2.** WB Image IVD antibody detects IVD protein by Western blot analysis. A. 30 µg PC-12 whole cell Iysate/extract 10 % SDS-PAGE IVD antibody , dilution: 1:1000



#### Immunohistochemistry

**Image 3.** IHC-P Image Immunohistochemical analysis of paraffin-embedded human breast cancer, using IVD, antibody at 1:250 dilution.

Please check the product details page for more images. Overall 5 images are available for ABIN2856960.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN2856960 | 09/11/2023 | Copyright antibodies-online. All rights reserved.