antibodies - online.com







anti-AP4M1 antibody (Center)



Images




()	ve	K\ /		A .
	\cup	1 V/	Щ.	V۷

AP4M1 (Ap4m1)	
Center	
Human, Mouse	
Rabbit	
Polyclonal	
This AP4M1 antibody is un-conjugated	
Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Recombinant protein encompassing a sequence within the center region of human AP4M1.	
Rabbit Polyclonal antibody to AP4M1 (adaptor-related protein complex 4, mu 1 subunit) AP4M1 antibody [N1C1]	
Purified by antigen-affinity chromatography.	
AP4M1 (Ap4m1)	
AP4M1 (Ap4m1 Products)	
9179	
;	

Application Details


Application Notes:	WB: 1:500-1:3000, IHC-P: 1:100-1:1000.	
	Not yet tested in other applications.	
	Optimal working dilutions should be determined experimentally by the end user.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.1M Tris, 0.1M Glycine, 20 % Glycerol (pH 7).	
	0.01 % Thimerosal was added as a preservative.	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE	
	which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Keep as concentrated solution. Aliquot and store at -20°C or below.	
	Avoid multiple freeze-thaw cycles.	

Validation report #101746 for Immunofluorescence (IF)




Immunohistochemistry

Image 1. IHC-P Image Immunohistochemical analysis of paraffin-embedded TOV-21G xenograft, using AP4M1, antibody at 1:500 dilution.



Western Blotting

Image 2. WB Image Sample (30 ug of whole cell lysate) A: A431, 10% SDS PAGE antibody diluted at 1:1000



Immunohistochemistry

Image 3. IHC-P Image AP4M1 antibody [N1C1] detects AP4M1 protein at cytoplasm in mouse testis by immunohistochemical analysis. Sample: Paraffin-embedded mouse testis. AP4M1 antibody [N1C1], diluted at 1:500.