

Datasheet for ABIN2872489  
**anti-VGF antibody (AA 23-62)**



[Go to Product page](#)

## Overview

|                      |                                    |
|----------------------|------------------------------------|
| Quantity:            | 100 µL                             |
| Target:              | VGF                                |
| Binding Specificity: | AA 23-62                           |
| Reactivity:          | Human, Rat                         |
| Host:                | Rabbit                             |
| Clonality:           | Polyclonal                         |
| Conjugate:           | This VGF antibody is un-conjugated |
| Application:         | Immunohistochemistry (IHC)         |

## Product Details

|               |                                                  |
|---------------|--------------------------------------------------|
| Immunogen:    | 5-10 mg of > 70% pure peptide conjugated to KLH. |
| Purification: | unpurified serum                                 |

## Target Details

|                   |                                                                              |
|-------------------|------------------------------------------------------------------------------|
| Target:           | VGF                                                                          |
| Alternative Name: | VGF ( <a href="#">VGF Products</a> )                                         |
| Pathways:         | <a href="#">Hormone Transport</a> , <a href="#">Carbohydrate Homeostasis</a> |

## Application Details

|                    |                                                                    |
|--------------------|--------------------------------------------------------------------|
| Application Notes: | Optimal working dilution should be determined by the investigator. |
|--------------------|--------------------------------------------------------------------|

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Storage: 4 °C,-20 °C

Storage Comment: Store antibodies at 2-4°C before and at -20°C after rehydration. The product is stable for approximately 3-6 weeks after rehydration at -20°C or below.