antibodies -online.com





anti-Inhibin antibody (Subunit alpha)



| () | 11/ | IN | /ie | A . |
|-----|-------------------|------|--------|--------|
| | / // | ۱ ات | / (− | ' \/\/ |
| | | | | |

Application Notes:

Restrictions:

| Quantity: | 50 μL |
|----------------------|--|
| Target: | Inhibin (INH) |
| Binding Specificity: | AA 1-32, Subunit alpha |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Inhibin antibody is un-conjugated |
| Application: | Immunohistochemistry (IHC) |
| | |
| Product Details | |
| Immunogen: | 5-10 mg of > 70% pure peptide conjugated to KLH. |
| Purification: | unpurified serum |
| | |
| Target Details | |
| Target: | Inhibin (INH) |
| Alternative Name: | Inhibin (INH Products) |
| | |
| Application Details | |

For Research Use only

Optimal working dilution should be determined by the investigator.

Handling

| Format: | Liquid |
|------------------|--|
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store antibodies at 2-4°C before and at -20°C after rehydration. The product is stable for |
| | approximately 3-6 weeks after rehydration at -20°C or below. |