# antibodies -online.com





# anti-BAFF antibody (AA 45-169)

3 Images



Go to Product page

_						
0	V	0	$r_{V}$	/1	е.	W

Quantity:	100 μL
Target:	BAFF (TNFSF13B)
Binding Specificity:	AA 45-169
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAFF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunofluorescence (fixed cells) (IF/ICC)

#### **Product Details**

Immunogen:	BAFFR (Glu45-Lys169)
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Target:	BAFF (TNFSF13B)
Alternative Name: B-Cell Activation Factor Receptor (TNFSF13B Products)	
Pathways: NF-kappaB Signaling, Production of Molecular Mediator of Immune Response	


# **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	

# Handling


Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4 °C for frequent use. Aliquot and store at -20 °C for one year. Avoid repeated freeze/thaw cycles.

# **Images**




### **Immunohistochemistry (Paraffin-embedded Sections)**

Image 1. IHC-P analysis of testis tissue, with DAB staining.



### **Western Blotting**

**Image 2.** Western blot analysis of the recombinant protein.



### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 3.** IHC-P analysis of Rat Testis Tissue, with DAB staining.