# antibodies -online.com







# anti-JNK2 antibody (N-Term)

**Images** 



## Overview

Quantity:	50 μg
Target:	JNK2 (MAPK9)
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This JNK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

# **Product Details**

Brand:	IHC-plus™
Immunogen:	Synthetic peptide from human MAPK9 / JNK2.
	Type of Immunogen: Synthetic peptide
Specificity:	Synthetic peptide corresponding to N-terminal residues of human MAPK9(Mitogen-activated protein kinase 9)
Purification:	Immunoaffinity purified

# Target Details

Target: JNK2 (MAPK9)

# **Target Details**


Alternative Name:	MAPK9 / JNK2 / SAPK (MAPK9 Products)
Background:	Name/Gene ID: MAPK9
	Subfamily: MAPK
	Family: Protein Kinase
	Synonyms: MAPK9, C-Jun kinase 2, C-Jun N-terminal kinase 2, JNK2B, JNK2, JNK2ALPHA,
	MAP kinase 9, p54a, JNK2BETA, PRKM9, SAPK, MAPK 9, p54aSAPK, SAPK1a, JNK-55, JNK2A,
	Jun kinase
Gene ID:	5601
UniProt:	P45984
Pathways:	MAPK Signaling, WNT Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway,
	Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin,
	Positive Regulation of Endopeptidase Activity, Hepatitis C, Toll-Like Receptors Cascades, BCR
	Signaling, S100 Proteins
Application Details	

Application Notes:	Approved: ELISA (1 μg/mL), IHC, IHC-P (20 μg/mL), WB (1 μg/mL)
	Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
	on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
	antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides were
	incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
	and chromogen. The stained slides were evaluated by a pathologist to confirm staining
	specificity. The optimal working concentration for this antibody was determined to be 20 $\boldsymbol{\mu}$
	g/mL.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, 0.01 % sodium azide, 50 % glycerol.

# Handling


Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid repeated freezing and thawing.
Storage:	4 °C,-20 °C
Storage Comment:	Short term: 4°C. Long term: Store at -20°C. Avoid freeze-thaw cycles.

# **Images**



## **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Human Brain, Cortex (formalin-fixed, paraffinembedded) stained with MAPK9 antibody ABIN293094 at 20 ug/ml followed by biotinylated goat anti-rabbit IgG secondary antibody ABIN481713, alkaline phosphatase-streptavidin and chromogen.



## **Immunohistochemistry**

**Image 2.** Anti-MAPK9 / JNK2 antibody IHC of human brain, cortex. Immunohistochemistry of formalin-fixed, paraffinembedded tissue after heat-induced antigen retrieval. Antibody concentration 20 ug/ml.