



[Go to Product page](#)

Datasheet for ABIN2970884
anti-DDDDK Tag antibody

3 Images

Overview

Quantity:	100 µL
Target:	DDDDK Tag
Reactivity:	Please inquire
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This DDDDK Tag antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunofluorescence (fixed cells) (IF/ICC), Immunohistochemistry (IHC)

Product Details

Immunogen:	Fusion protein of human DDDDK-tag.
Isotype:	IgG
Purification:	Affinity purified

Target Details

Target:	DDDDK Tag
Alternative Name:	DDDDK-Tag (DDDDK Tag Products)
Target Type:	Tag

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: Lot specific

Buffer: PBS with 0.02 % sodium azide, 50 % glycerol, pH 7.3.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C


Storage Comment: Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.

Images



Immunofluorescence

Image 1. Immunofluorescence analysis of over-expressed DDDDK-tagged protein in HeLa cells using DDDDK antibody (green). Blue: DRAQ5 fluorescent DNA dye. Red: Actin filaments have been labeled with Alexa Fluor-555 phalloidin.



Immunoprecipitation

Image 2. Immunoprecipitation of over-expressed DDDDK-tagged protein in HeLa cell incubated with DDDDK antibody. A mock served as negative control and over-expressed HeLa cell lysate served as positive control.

Western Blotting

Image 3. Western blot analysis of over-expressed DDDDK-tagged protein in 293T cell using DDDDK antibody at different dilution. Each lane was loaded with 2 ug cell lysate.