

Datasheet for ABIN3016238  
**anti-RANKL antibody (AA 78-317)**

## 5 Images

[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	RANKL (TNFSF11)
Binding Specificity:	AA 78-317
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RANKL antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF)

## Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 78-317 of human RANKL (NP_003692.1).
Sequence:	RISEDGTHCI YRILRLHENA DFQDTTLESQ DTKLIPDSCR RIKQAFQGAV QKELQHIVGS QHIRAEKAMV DGSWLDLAKR SKLEAQPFah LTINATDIPS GSHKVSLSSW YHDRGWAKIS NMTFSNGKLI VNQDGFYYLY ANICFRHHET SGDLATEYLQ LMVYVTKTSI KIPSSHTLMK GGSTKYWSGN SEHFHYSINV GGFFKLRSGE EISIEVSNPS LLDPDQDATY FGAFKVRDID
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Characteristics:	Polyclonal Antibodies

## Target Details

Target:	RANKL (TNFSF11)
Alternative Name:	TNFSF11 ( <a href="#">TNFSF11 Products</a> )
Background:	<p>This gene encodes a member of the tumor necrosis factor (TNF) cytokine family which is a ligand for osteoprotegerin and functions as a key factor for osteoclast differentiation and activation. This protein was shown to be a dendritic cell survival factor and is involved in the regulation of T cell-dependent immune response. T cell activation was reported to induce expression of this gene and lead to an increase of osteoclastogenesis and bone loss. This protein was shown to activate antiapoptotic kinase AKT/PKB through a signaling complex involving SRC kinase and tumor necrosis factor receptor-associated factor (TRAF) 6, which indicated this protein may have a role in the regulation of cell apoptosis. Targeted disruption of the related gene in mice led to severe osteopetrosis and a lack of osteoclasts. The deficient mice exhibited defects in early differentiation of T and B lymphocytes, and failed to form lobulo-alveolar mammary structures during pregnancy. Two alternatively spliced transcript variants have been</p> <p>found.,TNFSF11,CD254,ODF,OPGL,OPTB2,RANKL,TNKG6B,TRANCE,hRANKL2,sOdf,Immunology &amp; Inflammation,CD markers,Cytokines,TNF,Cell Intrinsic Innate Immunity Signaling Pathway,Cardiovascular,TNFSF11</p>
Molecular Weight:	27 kDa/30 kDa/35 kDa
Gene ID:	8600
UniProt:	<a href="#">O14788</a>
Pathways:	<a href="#">NF-kappaB Signaling</a>

## Application Details

Application Notes:	WB,1:500 - 1:2000,IF,1:50 - 1:200
Restrictions:	For Research Use only


## Handling

Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling


Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.

Images




Immunofluorescence

**Image 1.** Immunofluorescence analysis of rat spleen cells using RANKL Rabbit pAb (ABIN3016237, ABIN3016238, ABIN3016239 and ABIN6219648) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence

**Image 2.** Immunofluorescence analysis of HeLa cell using TNFSF11 antibody. Blue: DAPI for nuclear staining.



Western Blotting

**Image 3.** Western blot analysis of extracts of various cell lines, using TNFSF11 antibody.

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN3016238.