

Datasheet for ABIN302076

**anti-CD24 antibody****2** Images**6** Publications[Go to Product page](#)

## Overview

Quantity:	0.1 mg
Target:	CD24
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD24 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Immunohistochemistry (Frozen Sections) (IHC (fro)), Cytometry by Time of Flight (CyTOF)

## Product Details

Immunogen:	Glycoproteins purified from human NALM-1 cell line.
Clone:	SN3
Isotype:	IgG1
Specificity:	The antibody SN3 reacts with CD24, a 35-45 kDa heavily glycosylated cell surface antigen. CD24 is expressed by granulocytes, B lymphocytes and by some activated T cells and T cell malignancies. It is not expressed on human thymocytes.
Cross-Reactivity (Details):	Human
Purification:	Purified by protein-A affinity chromatography.
Purity:	> 95 % (by SDS-PAGE)

## Target Details

Target:	CD24
Alternative Name:	CD24 ( <a href="#">CD24 Products</a> )
Background:	CD24 Molecule,CD24, also known as heat-stable antigen (HSA) or nectadorin, is a small mucin-like GPI-anchored extracellular membrane glycoprotein expressed on several cell types, including B cells. When B cells are activated and induced to further maturation, however, CD24 begins to disappear. CD24 seems to act as a gate-keeper for lipid rafts, thereby regulating the activity of integrins and other proteins such as the chemokine receptor CXCR4, it is also a ligand for P-selectin. CD24 triggering induces apoptosis of B cell precursors but not in mature resting B cells, where it instead inhibits their ability to proliferate in response to activation. CD24 expression is associated with invasiveness and poorer prognosis of carcinomas and is a marker of exosomes secreted into urine and amniotic fluid.,HSA, nectadorin, SCLC4
Gene ID:	100133941
UniProt:	<a href="#">P25063</a>
Pathways:	<a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Positive Regulation of Immune Effector Process</a> , <a href="#">Activated T Cell Proliferation</a>

## Application Details

Application Notes:	Immunohistochemistry (frozen sections): Positive tissue: tonsil. Flow cytometry: Recommended dilution: 1-12 µg/mL
Restrictions:	For Research Use only

## Handling


Concentration:	1 mg/mL
Buffer:	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	<b>Do not freeze.</b>
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Do not freeze.

## Publications

- Product cited in: Všíanská, Říhová, Varmužová, Suská, Kryukov, Mikulášová, Kupská, Penka, Pour, Adam, Hájek: "Analysis of B-cell subpopulations in monoclonal gammopathies." in: **Clinical lymphoma, myeloma & leukemia**, Vol. 15, Issue 4, pp. e61-71, (2015) ([PubMed](#)).
- Maliar, Servais, Waks, Chmielewski, Lavy, Altevogt, Abken, Eshhar: "Redirected T cells that target pancreatic adenocarcinoma antigens eliminate tumors and metastases in mice." in: **Gastroenterology**, Vol. 143, Issue 5, pp. 1375-84.e1-5, (2012) ([PubMed](#)).
- Solvason, Kearney: "The human fetal omentum: a site of B cell generation." in: **The Journal of experimental medicine**, Vol. 175, Issue 2, pp. 397-404, (1992) ([PubMed](#)).
- Fischer, Majdic, Gadd, Knapp: "Signal transduction in lymphocytic and myeloid cells via CD24, a new member of phosphoinositol-anchored membrane molecules." in: **Journal of immunology (Baltimore, Md. : 1950)**, Vol. 144, Issue 2, pp. 638-41, (1990) ([PubMed](#)).
- Barcos, Pollard, Fukukawa, Seon: "Follicular mantle zone cell subpopulations detected by monoclonal antibody SN3." in: **Hematological oncology**, Vol. 4, Issue 4, pp. 251-9, (1987) ([PubMed](#)).


There are more publications referencing this product on: [Product page](#)

## Images



### Flow Cytometry

**Image 1.** Flow cytometry analysis (surface staining) of human peripheral blood cells with anti-human CD24 (SN3) purified, GAM-APC.



### Flow Cytometry

**Image 2.** Surface staining of human peripheral blood cells with anti-CD24 (SN3) Alexa Fluor® 700.