



[Go to Product page](#)

Datasheet for ABIN3021024
anti-TNFRSF6B antibody (AA 35-300)

2 Images

Overview

Quantity:	100 µL
Target:	TNFRSF6B
Binding Specificity:	AA 35-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF6B antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 35-300 of human TNFRSF6B (NP_003814.1).
Sequence:	TYPWRDAETG ERLVCAQCPP GTFVQRPCRR DSPTTCGPCP PRHYTQFWNY LERCRYCNVL CGEREEEARA CHATHNRACR CRTGFFAHAG FCLEHASCPP GAGVIAPGTP SQNTQCQPCP PGTFSASSSS SEQCQPHRNC TALGLALNVP GSSSHDTLCT SCTGFPLSTR VPGAEECERA VIDFVAFQDI SIKRLQRLQ ALEAPEGWGP TPRAGRAALQ LKLRRRLTEL LGAQDGALLV RLLQALRVAR MPGLERSVRE RFLPVH
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Characteristics:	Polyclonal Antibodies

Target Details


Target:	TNFRSF6B
Alternative Name:	TNFRSF6B (TNFRSF6B Products)
Background:	<p>This gene belongs to the tumor necrosis factor receptor superfamily. The encoded protein is postulated to play a regulatory role in suppressing FasL- and LIGHT-mediated cell death. It acts as a decoy receptor that competes with death receptors for ligand binding. Over-expression of this gene has been noted in gastrointestinal tract tumors. Read-through transcription into this gene from the neighboring upstream gene, which encodes regulator of telomere elongation helicase 1 (RTEL1), generates a non-coding transcript.,TNFRSF6B,DCR3,DJ583P15.1.1,M68,M68E,TR6,Cell Biology & Developmental Biology,Apoptosis,Immunology & Inflammation,Cytokines,NF-kB Signaling Pathway,Cell Intrinsic Innate Immunity Signaling Pathway,TNFRSF6B</p>
Molecular Weight:	32 kDa
Gene ID:	8771
UniProt:	O95407

Application Details

Application Notes:	WB,1:500 - 1:2000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	PBS with 0.02 % sodium azide,50 % glycerol, pH 7.3.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid freeze / thaw cycles
Storage:	-20 °C
Storage Comment:	Store at -20°C. Avoid freeze / thaw cycles.



Western Blotting

Image 1. Western blot analysis of extracts of various cell lines, using TNFRSF6B antibody (ABIN3021023, ABIN3021024, ABIN3021025 and ABIN6213919) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (ABIN1684268 and ABIN3020597) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3 % nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 60s.



Western Blotting

Image 2. Western blot analysis of 293 cell lysate using TNFRSF6B antibody.