

Datasheet for ABIN302195

anti-L-Selectin antibody (PE)



Go to Product page

Overview

Quantity:	100 tests	
Target:	L-Selectin (SELL)	
Reactivity:	Chemical	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This L-Selectin antibody is conjugated to PE	
Application:	Flow Cytometry (FACS)	

Product Details

Immunogen:	Peripheral blood leukocytes		
Clone:	LT-TD180		
Isotype:	lgG1		
Specificity:	This antibody reacts with CD62L (L-selectin), a 74-95 kDa single chain type I glycoprotein expressed on most peripheral blood B lymphocytes, T lymphocytes, monocytes and granulocytes, it is also present on a subset of NK cells and certain hematopoietic malignant cells.		
Characteristics:	Synonyms: SELL, LNHR, LYAM1, Leu-8, TQ1, gp90-MEL, LECAM1, LAM-1, Lymph node homing receptor, Leukocyte adhesion molecule 1, Leukocyte surface antigen Leu-8, Leukocyte-endothelialcell adhesion molecule 1, CD62 antigen-like family member L		
Purification:	Size-exclusion chromatography		

Target Details

Target:	L-Selectin (SELL)				
Alternative Name:	CD62L / L-Selectin (SELL Products)				
Target Type:	Chemical				
Background:	CD62L (L-selectin) is an adhesion glycoprotein that is constitutively expressed on the cell				
	surface of leukocytes and mediates their homing to inflammatory sites and peripheral lymph				
	nodes by enabling rolling along the venular wall. CD62L is also involved in activation-induced				
	neutrophil aggregation. Activation-dependent CD62L shedding, however, counteracts neutrophil				
	rolling. CD62L has also signaling roles including enhance of chemokine receptor expression.				
	Similarly to CD62P, the major ligand of CD62L is PSGL-1 (P-selectin glycoprotein ligand-				
	1).Synonyms: CD62 antigen-like family member L, LAM-1, LECAM1, LNHR, LYAM1, Leu-8,				
	Leukocyte adhesion molecule 1, Leukocyte surface antigen Leu-8, Leukocyte-endothelial cell				
	adhesion molecule 1, Lymph node homing receptor, SELL, TQ1, gp90-MEL				
Gene ID:	6402				
UniProt:	P14151				
Application Details					
Application Notes:	Flow Cytometry analysis of human blood cells using 20 I reagent / 100 I of whole bloodor 10^6				
	cells in a suspension.				
	Other applications not tested.				
	Optimal dilutions are dependent on conditions and should be determined by the user.				
Restrictions:	For Research Use only				
Handling					
Buffer:	Phosphate buffered saline (PBS) containing 15 mM sodium azide and 0.2 % (w/v) high-grade				
	protease free Bovine Serum Albumin (BSA) as a stabilizing agent				
Preservative:	Sodium azide				
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which				
	should be handled by trained staff only.				
Storage:	4 °C				
Storage Comment:	Store the antibody at 2 - 8 °C. DO NOT FREEZE! This product is photosensitive and should be				

			11.	
_	\sim	\sim	111	nc
_	14	111		111

Shelf life: one year from despatch.

Expiry Date: 12 months