# antibodies -online.com





## anti-IL17 Receptor B antibody (AA 207-234)



### **Images**



Go to Product page

$\sim$	
( )\/⊝	view
$\bigcirc$ $\lor$ $\bigcirc$	V I C V V

Overview	
Quantity:	0.4 mL
Target:	IL17 Receptor B (IL17RB)
Binding Specificity:	AA 207-234
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17 Receptor B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Flow Cytometry (FACS)
Product Details	
Immunogen:	A portion of amino acids 207-234 from the human protein was used as the immunogen for this
	IL17RB antibody.
Isotype:	lg Fraction
Purification:	Purified
Target Details	
Target:	IL17 Receptor B (IL17RB)
Alternative Name:	IL17RB (IL17RB Products)
Background:	IL17RB is a cytokine receptor. This receptor specifically binds to IL17B and IL17E, but does not
	bind to IL17 and IL17C. This receptor has been shown to mediate the activation of NF-kappaB
	and the production of IL8 induced by IL17E.

#### **Target Details**


### **Application Details**

Application Notes:	Titration of the IL17RB antibody may be required due to differences in protocols and
	secondary/substrate sensitivity.\. Western blot: 1:1000,IHC (Paraffin): 1:10-1:50,Flow
	Cytometry: 1:10-1:50
Restrictions:	For Research Use only

### Handling


Format:	Liquid
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the IL17RB antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

#### **Images**




#### **Immunohistochemistry**

**Image 1.** IHC analysis of FFPE human colon carcinoma stained with IL17RB antibody



#### **Western Blotting**

**Image 2.** Western blot analysis of IL17RB antibody and MDA-MB468 lysate.



#### **Flow Cytometry**

**Image 3.** Flow cytometric analysis of HepG2 cells using IL17RB antibody (bottom histogram) compared to a negative control (top histogram). FITC-conjugated goat-antirabbit secondary Ab was used for the analysis.

Please check the product details page for more images. Overall 5 images are available for ABIN3028753.