

Datasheet for ABIN3029059

anti-SUZ12 antibody (AA 375-408)

2 Images



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	0.4 mL
Target:	SUZ12
Binding Specificity:	AA 375-408
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SUZ12 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	This SUZ12 antibody was produced from a rabbit immunized with a KLH conjugated synthetic
	peptide between 375-408 amino acids from the Central region of human SUZ12.
Isotype:	Ig Fraction
Isotype: Purification:	Ig Fraction Antigen affinity purified
Purification:	
Purification:	
Purification: Target Details	Antigen affinity purified
Purification: Target Details Target:	Antigen affinity purified SUZ12
Purification: Target Details Target: Alternative Name:	Antigen affinity purified SUZ12 SUZ12 (SUZ12 Products)
Purification: Target Details Target: Alternative Name:	Antigen affinity purified SUZ12 SUZ12 (SUZ12 Products) Polycomb group (PcG) protein. Component of the PRC2/EED- EZH2 complex, which methylates

Target Details

	for DNA methyltransferases, thereby linking two epigenetic repression systems. Genes
	repressed by the PRC2/EED-EZH2 complex include HOXC8, HOXA9, MYT1 and CDKN2A.
UniProt:	Q15022


Application Details

Application Notes:	Titration of the SUZ12 antibody may be required due to differences in protocols and
	secondary/substrate sensitivity.\. Western blot: 1:2000
Restrictions:	For Research Use only

Handling


Format:	Liquid	
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Aliquot the SUZ12 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.	

Images



Western Blotting

Image 1. Western blot testing of SUZ12 antibody at 1:2000 dilution. Lane 1: mouse spleen lysate; 2: F9 lysate; 3: HeLa lysate; Observed molecular weight 83~95 kDa.



Western Blotting

Image 2. Western blot testing of SUZ12 antibody at 1:2000 dilution. Lane 1: mouse spleen lysate