# antibodies - online.com







### anti-TPSAB1 antibody (AA 61-87)





$\sim$						
	1//	Д	r۱	/1	$\triangle$	٨

Overview		
Quantity:	0.4 mL	
Target:	TPSAB1	
Binding Specificity:	AA 61-87	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TPSAB1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS)	
Product Details		
Immunogen:	A portion of amino acids 61-87 from the human protein was used as the immunogen for this TPSAB1 antibody.	
Isotype:	lg Fraction	
Purification:	Antigen affinity purified	
Target Details		

Alternative Name: TPSAB1 (TPSAB1 Products)  Background: Tryptases comprise a family of trypsin-like serine proteases, the peptidase family S1. Tryptases are enzymatically active only as heparin-stabilized tetramers, and they are resistant to all known endogenous proteinase inhibitors. Several tryptase genes are clustered on chromosome	Target:	TPSAB1
are enzymatically active only as heparin-stabilized tetramers, and they are resistant to all known	Alternative Name:	TPSAB1 (TPSAB1 Products)
	Background:	are enzymatically active only as heparin-stabilized tetramers, and they are resistant to all known

16p13.3. These genes are characterized by several distinct features. They have a highly conserved 3' UTR and contain tandem repeat sequences at the 5' flank and 3' UTR which are thought to play a role in regulation of the mRNA stability. These genes have an intron immediately upstream of the initiator Met codon, which separates the site of transcription initiation from protein coding sequence. This feature is characteristic of tryptases but is unusual in other genes. The alleles of this gene exhibit an unusual amount of sequence variation, such that the alleles were once thought to represent two separate genes, alpha and beta 1. Beta tryptases appear to be the main isoenzymes expressed in mast cells, whereas in basophils, alpha tryptases predominate. Tryptases have been implicated as mediators in the pathogenesis of asthma and other allergic and inflammatory disorders.


UniProt:

Q15661

cycles.

#### **Application Details**

Application Notes:	Titration of the TPSAB1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000,Flow Cytometry: 1:10-1:50	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	In 1X PBS pH 7.4 with 0.09 % sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Aliquot the TPSAB1 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw	



#### **Flow Cytometry**

**Image 1.** TPSAB1 antibody flow cytometric analysis of 293 cells (green) compared to a negative control cell (blue). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.



55

36

28

17

#### **Western Blotting**

**Image 2.** TPSAB1 antibody western blot analysis in 293 lysate.

## Western Blotting Image 3. TPSAI

Image 3. TPSAB1 antibody western blot analysis in 293 lysate.