

Datasheet for ABIN3029603
anti-VDAC1 antibody (AA 95-124)



[Go to Product page](#)

5 Images

Overview

Quantity:	0.4 mL
Target:	VDAC1
Binding Specificity:	AA 95-124
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VDAC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Flow Cytometry (FACS)

Product Details

Immunogen:	A portion of amino acids 95-124 from the human protein was used as the immunogen for this VDAC1 antibody.
Isotype:	Ig Fraction
Cross-Reactivity (Details):	Expected species reactivity: Mouse, Rat, Bovine, Rabbit
Purification:	Purified

Target Details

Target:	VDAC1
Alternative Name:	VDAC1 (VDAC1 Products)
Background:	VDAC1 forms a channel through the mitochondrial outer membrane and also the plasma

Target Details

membrane. The channel at the outer mitochondrial membrane allows diffusion of small hydrophilic molecules, in the plasma membrane it is involved in cell volume regulation and apoptosis. It adopts an open conformation at low or zero membrane potential and a closed conformation at potentials above 30-40 mV. The open state has a weak anion selectivity whereas the closed state is cation-selective. The protein may participate in the formation of the permeability transition pore complex (PTPC) responsible for the release of mitochondrial products that triggers apoptosis.

UniProt: [P21796](#)

Application Details

Application Notes: Titration of the VDAC1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000,IHC (Paraffin): 1:50-1:100,Flow Cytometry: 1:10-1:50

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: In 1X PBS, pH 7.4, with 0.09 % sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C

Storage Comment: Aliquot the VDAC1 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.




Immunohistochemistry

Image 1. IHC analysis of FFPE human hepatocarcinoma stained with VDAC1 antibody



Flow Cytometry

Image 2. VDAC1 antibody flow cytometry analysis of HL-60 cells (green) compared to a negative control (blue). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.



Western Blotting

Image 3. Western blot analysis of VDAC1 antibody and 1) HL-60 and 2) Y79 lysate.

Please check the [product details page](#) for more images. Overall 5 images are available for ABIN3029603.