# antibodies -online.com





## anti-Aurora Kinase C antibody (AA 3-38)



**Images** 



Go to Product page

( )	1 /	$\sim$	KI /	110	Νę
	1//	$\vdash$	I \/	1 ←	٠// ٢


Overview			
Quantity:	0.4 mL		
Target:	Aurora Kinase C (AURKC)		
Binding Specificity:	AA 3-38		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This Aurora Kinase C antibody is un-conjugated		
Application:	Western Blotting (WB), ELISA		
Product Details			
Immunogen:	A portion of amino acids 3-38 from the human protein was used as the immunogen for this Aurora-C antibody.		
Isotype:	Ig Fraction		
Purification:	Antigen affinity purified		
Target Details			
Target:	Aurora Kinase C (AURKC)		
Alternative Name:	Aurora-C (AURKC Products)		
Background:	Chromosomal segregation during mitosis as well as meiosis is regulated by kinases and phosphatases. The Aurora kinases, members of the Ser/Thr protein kinase family, associate		

with microtubules during chromosome movement and segregation. Aurora kinase C may play a

### **Target Details**


	part in organizing microtubules in relation to the function of the centrosome/spindle pole during mitosis. This protein is localized to centrosome from anaphase to cytokinesis. Expression is limited to testis in normal cells. Elevated expression levels are seen only in a subset of cancer cells such as HepG2, HuH7 and HeLa cells. Aurora-C expression is maximum at M phase.	
UniProt:	Q9UQB9	
Pathways:	Cell Division Cycle, Maintenance of Protein Location	
Application Details		
Application Notes:	Titration of the Aurora-C antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Aliquot the Aurora-C antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw	

cycles.



#### **Western Blotting**

**Image 1.** Aurora-C antibody western blot analysis in MDA-MB231 lysate. Predicted molecular weight ~33 kDa.



#### **Immunofluorescence**

**Image 2.** Immunofluorescence staining of HeLa cells expressing GFP-Aurora-C performed at different cellular mitotic stages with the A) Aurora-C antibody, B) GFP fluorescence, C) DAPI nuclear staining, and D) anti-Aurora C merged to DAPI staining.



#### **Western Blotting**

**Image 3.** Western blot testing of Aurora-C antibody and lysate of 293 cells expressing Flag tag (lane 1), Flag-tagged Aurora-A (2), -B (3), -C (4).

Please check the product details page for more images. Overall 5 images are available for ABIN3030078.