

# Datasheet for ABIN3030515 anti-CXCR4 antibody (AA 31-43)

# 2 Images



Go to Product page

#### Overview

OVEIVIEW	
Quantity:	100 μg
Target:	CXCR4
Binding Specificity:	AA 31-43
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCR4 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Amino acids 31-43 (EENANFNKIFLPT) were used as the immunogen for this CXCR4 antibody.
Isotype:	IgG
Purification:	Antigen affinity
Target Details	
Target:	CXCR4
Alternative Name:	CXCR4 (CXCR4 Products)
Background:	Chemokine,CXC Motif, Receptor 4, also known as FUSIN or NPY3R, is a protein that in humans
	is encoded by the CXCR4 gene. By PCR analysis of human/hamster hybrid cell DNA, Herzog et
	al.(1993) showed that the NPY3R gene is located on human chromosome 2. Feng et al.(1996)
	showed that transient expression of the gene allowed nonhuman cells coexpressing

# **Target Details**

recombinant CD4 to undergo Env-CD4-mediated cell fusion and productive HIV-1 infection. Peled et al.(1999) demonstrated that SDF1 and its receptor CXCR4 are critical for murine bone marrow engraftment by human SCID repopulating stem cells. Treatment of human cells with anti-CXCR antibodies prevented engraftment.

UniProt: P61073

Pathways: Regulation of Cell Size, CXCR4-mediated Signaling Events


# **Application Details**

Application Notes:	Titration of the CXCR4 antibody may be required due to differences in protocols and
	secondary/substrate sensitivity.\. Western blot: 0.5-1 μg/mL
Restrictions:	For Research Use only

# Handling


Buffer:	0.5 mg/mL if reconstituted with 0.2 mL sterile DI water
Storage:	-20 °C
Storage Comment:	After reconstitution, the CXCR4 antibody can be stored for up to one month at 4°C. For long-
	term, aliquot and store at -20°C. Avoid repeated freezing and thawing.

# **Images**



# **Western Blotting**

Image 1. Western blot testing of CXCR4 antibody; Lane 1:M231; 2: MCF-7; 3: Jurkat cell lysate



# **Western Blotting**

Image 2. Western blot testing of CXCR4 antibody