

Datasheet for ABIN3030700
anti-DDX58 antibody (AA 585-614)



[Go to Product page](#)

2 Images

Overview

Quantity:	0.4 mL
Target:	DDX58
Binding Specificity:	AA 585-614
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDX58 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	A portion of amino acids 585-614 from the human protein was used as the immunogen for this DDX58 antibody.
Isotype:	Ig Fraction
Purification:	Purified

Target Details

Target:	DDX58
Alternative Name:	DDX58 (DDX58 Products)
Background:	DEAD box proteins, characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases which are implicated in a number of cellular processes involving RNA binding and alteration of RNA secondary structure. RIG-I contains RNA helicase-DEAD box protein

Target Details

motifs and a caspase recruitment domain (CARD). It is involved in viral double-stranded (ds) RNA recognition and the innate immune defense against viruses. Upon interaction with intracellular dsRNA produced during viral replication, RIG-I/DDX58 triggers a transduction cascade involving MAVS/IPS1, which results in the activation of NF-kappa-B, IRF3 and IRF7 and the induction of the expression of antiviral cytokines such as IFN-beta and RANTES (CCL5). This protein is essential for the production of interferons in response to RNA viruses including paramyxoviruses, influenza viruses, Japanese encephalitis virus and HCV.


UniProt:	O95786
Pathways:	Activation of Innate immune Response , Hepatitis C

Application Details

Application Notes:	Titration of the DDX58 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the DDX58 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.



Western Blotting

Image 1. Western blot analysis of DDX58 in 293 lysate.
Predicted molecular weight ~106 kDa



Western Blotting

Image 2. Western blot analysis of DDX58 in 293 lysate.
Predicted molecular weight ~106 kDa