

Datasheet for ABIN3031478

anti-IL-4 antibody (AA 122-150)





Overview

Overview		
Quantity:	0.4 mL	
Target:	IL-4 (IL4)	
Binding Specificity:	AA 122-150	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IL-4 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Flow Cytometry (FACS)	
Product Details		
Immunogen:	A portion of amino acids 122-150 from the human protein was used as the immunogen for this	
	IL-4 antibody.	
Isotype:	Ig Fraction	
Cross-Reactivity (Details):	Expected species reactivity: Primate	
Purification:	Antigen affinity purified	
Target Details		
Target:	IL-4 (IL4)	
Alternative Name:	IL-4 (IL4 Products)	
Background:	IL4 is a pleiotropic cytokine produced by activated T cells. This cytokine is a ligand for	

interleukin 4 receptor. The interleukin 4 receptor also binds to IL13, which may contribute to many overlapping functions of this cytokine and IL13. STAT6, a signal transducer and activator of transcription, has been shown to play a central role in mediating the immune regulatory signal of this cytokine. This gene, IL3, IL5, IL13, and CSF2 form a cytokine gene cluster on chromosome 5q, with this gene particularly close to IL13. This gene, IL13 and IL5 are found to be regulated coordinately by several long-range regulatory elements in an over 120 kilobase range on the chromosome.

UniProt:

P05112

Pathways:

JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Proton

Transport, Activated T Cell Proliferation

Application Details

۸n	nlica	tion	Notes:
ΑD	ulica	UOH	MOLES.


Titration of the IL-4 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000,IHC (Paraffin): 1:10-1:50,Flow Cytometry: 1:10-1:50

Restrictions:

For Research Use only


Handling

Format:	Liquid
Buffer:	In 1X PBS pH 7.4 with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the IL-4 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles




Western Blotting

Image 1. (Left) Western blot analysis of IL-4 antibody and WiDr lysate; (Right) Western blot analysis of IL-4 antibody and mouse cerebellum lysate



Flow Cytometry

Image 2. IL-4 antibody flow cytometric analysis of WiDr cells (right histogram) compared to a negative control (left histogram). FITC-conjugated goat-anti-rabbit secondary Ab was used for the analysis.-



Immunohistochemistry

Image 3. IL-4 antibody IHC analysis in formalin fixed and paraffin embedded tonsil

Please check the product details page for more images. Overall 5 images are available for ABIN3031478.