

Datasheet for ABIN3031863 anti-MUC1 antibody (pTyr1229)

2 Images




Overview

Quantity:	0.4 mL
Target:	MUC1
Binding Specificity:	pTyr1229
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MUC1 antibody is un-conjugated
Application:	ELISA, Dot Blot (DB)
Product Details	
Immunogen:	This p-MUC1 antibody was produced from rabbits immunized with a KLH conjugated synthetic
Immunogen:	This p-MUC1 antibody was produced from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1.
Immunogen: Isotype:	
	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1.
Isotype:	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1. Ig Fraction
Isotype: Purification:	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1. Ig Fraction
Isotype: Purification: Target Details	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1. Ig Fraction Antigen affinity purified
Isotype: Purification: Target Details Target:	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1. Ig Fraction Antigen affinity purified MUC1
Isotype: Purification: Target Details Target: Alternative Name:	phosphopeptide corresponding to amino acid residues surrounding pY1229 of human MUC1. Ig Fraction Antigen affinity purified MUC1 MUC1 (MUC1 Products)

Target Details

	tandem repeat (VNTR) domain, with the number of repeats varying from 20 to 120 in different individuals. The protein serves a protective function by binding to pathogens and also functions in a cell signaling capacity. Overexpression, aberrant intracellular localization, and changes in glycosylation of this protein have been associated with carcinomas.
UniProt:	P15941
Pathways:	Negative Regulation of intrinsic apoptotic Signaling
Application Details	
Application Notes:	Titration of the p-MUC1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Dot blot: 1:500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the p-MUC1 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.



NP-Peptide

P-Peptide

Dot Blot

Image 1. Dot blot analysis of p-MUC1 antibody. 50ng of phos-peptide or nonphos-peptide per dot were spotted.



NP-Peptide

P-Peptide

Dot Blot

Image 2. Dot blot analysis of p-MUC1 antibody. 50ng of phos-peptide or nonphos-peptide per dot were spotted.