antibodies - online.com







anti-NONO antibody (AA 45-74)

Images



Overview

Background:

Overview	
Quantity:	0.4 mL
Target:	NONO
Binding Specificity:	AA 45-74
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NONO antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	A portion of amino acids 45-74 from the human protein was used as the immunogen for this
	NONO antibody.
Isotype:	lg Fraction
Cross-Reactivity (Details):	Expected species reactivity: Mouse, Rat
Purification:	Antigen affinity purified
Target Details	
Target:	NONO
Alternative Name:	NONO (NONO Products)

This gene encodes 'Non POU domain containing octamer binding protein', or NONO, an RNA-

Target Details

binding protein which plays various roles in the nucleus, including transcriptional regulation and RNA splicing. A rearrangement between this gene and the transcription factor E3 gene has been observed in papillary renal cell carcinoma. Alternatively spliced transcript variants have been described. Pseudogenes exist on Chromosomes 2 and 16. [provided by RefSeq].

UniProt:

Q15233


Application Details

Application Notes:	Titration of the NONO antibody may be required due to differences in protocols and
	secondary/substrate sensitivity.\. Western blot: 1:1000,IHC (Paraffin): 1:10-1:50
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	In 1X PBS, pH 7.4, with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the NONO antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

Images




Immunohistochemistry

Image 1. NONO antibody immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue



Western Blotting

Image 2. NONO antibody western blot analysis in HeLa lysate.



Immunohistochemistry

Image 3. NONO antibody immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue