
# antibodies - online.com







# anti-KCNRG antibody (AA 175-202)





$\sim$	
( )\/\	rview
$\circ$	

mmunogen for this
motif includes
coiled-coil region.

#### **Target Details**

	lymphocytic leukemia. Multiple alternatively spliced transcript variants have been found for this	
	gene.	
UniProt:	Q8N5I3	


## **Application Details**

Application Notes:	Titration of the KCNRG antibody may be required due to differences in protocols and	
	secondary/substrate sensitivity.\. IHC (Paraffin): 1:10-1:50,Western blot: 1:1000	
Restrictions:	For Research Use only	

### Handling


Format:	Liquid
Buffer:	In 1X PBS pH 7.4 with 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Aliquot the KCNRG antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.

#### **Images**




#### **Immunohistochemistry**

**Image 1.** KCNRG antibody analysis in formalin fixed and paraffin embedded human brain tissue.



#### **Western Blotting**

**Image 2.** KCNRG antibody western blot analysis in mouse liver, lung tissue lysate



#### **Immunohistochemistry**

**Image 3.** KCNRG antibody analysis in formalin fixed and paraffin embedded human brain tissue.