

Datasheet for ABIN3032571
anti-STAT3 antibody (AA 673-699)



[Go to Product page](#)

2 Images

Overview

Quantity:	0.4 mL
Target:	STAT3
Binding Specificity:	AA 673-699
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STAT3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	A portion of amino acids 673-699 from the human protein was used as the immunogen for this STAT3 antibody.
Isotype:	Ig Fraction
Cross-Reactivity (Details):	Expected species reactivity: Bovine, Mouse, Pig, Rat
Purification:	Antigen affinity purified

Target Details

Target:	STAT3
Alternative Name:	STAT3 (STAT3 Products)
Background:	The protein encoded by this gene is a member of the STAT protein family. In response to

Target Details

cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. This protein mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of this protein. PIAS3 protein is a specific inhibitor of this protein. Three alternatively spliced transcript variants encoding distinct isoforms have been described.

UniProt: [P40763](#)

Pathways: [JAK-STAT Signaling](#), [RTK Signaling](#), [Interferon-gamma Pathway](#), [Neurotrophin Signaling Pathway](#), [Dopaminergic Neurogenesis](#), [Response to Growth Hormone Stimulus](#), [Carbohydrate Homeostasis](#), [Stem Cell Maintenance](#), [Hepatitis C](#), [Protein targeting to Nucleus](#), [Feeding Behaviour](#), [CXCR4-mediated Signaling Events](#), [Signaling of Hepatocyte Growth Factor Receptor](#)

Application Details

Application Notes: Titration of the STAT3 antibody may be required due to differences in protocols and secondary/substrate sensitivity.\. Western blot: 1:1000

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: In 1X PBS pH 7.4 with 0.09 % sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C

Storage Comment: Aliquot the STAT3 antibody and store frozen at -20°C or colder. Avoid repeated freeze-thaw cycles.



Western Blotting

Image 1. STAT3 antibody western blot analysis in A375 lysate.



Western Blotting

Image 2. STAT3 antibody western blot analysis in A375 lysate.