

Datasheet for ABIN3045923 Rabbit anti-Goat IgG (Whole Molecule) Antibody (DyLight 488)



Overview	
Quantity:	1 mg
Target:	lgG
Binding Specificity:	Whole Molecule
Reactivity:	Goat
Host:	Rabbit
Conjugate:	DyLight 488
Application:	Flow Cytometry (FACS), Immunomicroscopy (IM)
Product Details	
Immunogen:	Purified goat IgG, whole molecule
Specificity:	Based on IEP, this antibody reacts with: heavy (γ) chains on goat IgG light chains on all goat immunoglobulins
Cross-Reactivity (Details):	Based on IEP, no reactivity is observed to: non-immunoglobulin goat serum immunoglobulins
Characteristics:	Rabbit serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.
Purification:	Affinity purified using solid phase Goat IgG
Purity:	> 95 % based on SDS-PAGE

Target Details	
Target:	lgG
Abstract:	IgG Products
Target Type:	Antibody
Application Details	
Application Notes:	This conjugate is suitable for immunomicroscopy and flow cytometry. The optimal working dilution should be determined by the investigator. Suggested starting dilution(s): • 1:20 - 1:2,000 for most applications
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Rehydrate with 1.1 mL of deionized water and let stand 30 minutes at room temperature to dissolve. Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Concentration:	1.0 mg/mL
Buffer:	10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free 0.05 % (w/v) Sodium Azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store freeze-dried powder at 2-8 °C. Shelf Life: Product is stable for up to 4 weeks at 2-8°C after rehydration. For extended storage after rehydration, add an equal volume of glycerol and store at -20°C.