antibodies -online.com







anti-SAA1 antibody





Overview

Quantity:	50 μg
Target:	SAA1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This SAA1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details


Product Details	
Brand:	IHC-plus™
Immunogen:	Highly purified recombinant human SAA 12kD.
Isotype:	IgG2a kappa
Specificity:	Reacts with natural and recombinant human SAA. Does not show any cross-reactivity with other human cytokines or growth factors tested such as IL-1B, IL-8, MCAF, TGF-B and EGF.
Purification:	Protein G purified
Target Details	
Torgot:	CAA1

Target:	SAA1
Alternative Name:	SAA1 / SAA / Serum Amyloid A (SAA1 Products)

Target Details


D 1 1	N (O ID OAA1
Background:	Name/Gene ID: SAA1
	Synonyms: SAA1, Serum amyloid A protein, Serum Amyloid A, Serum amyloid A-1 protein,
	TP53I4, SAA, Serum amyloid A1, PIG4
Gene ID:	6288
UniProt:	P02735
Pathways:	Toll-Like Receptors Cascades
Application Details	
Application Notes:	Approved: ELISA, IHC, IHC-P (5 μg/mL), SwELISA, WB
	Usage: Immunohistochemistry: This antibody was validated for use in immunohistochemistry
	on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced
	antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary antibody, slides wer
	incubated with biotinylated secondary antibody, followed by alkaline phosphatase-streptavidin
	and chromogen. The stained slides were evaluated by a pathologist to confirm staining
	specificity. The optimal working concentration for this antibody was determined to be 5 μ g/ml
	Western Blot: 0.1-0.5 µg will allow visualization of 100 ng/lane of recombinant human SAA.
	Suitable for use in sandwich ELISA alongside LS-B2130.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7.2.
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Short term: 4°C. Long term: Store at -20°C. Avoid freeze-thaw cycles.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Human Liver (formalin-fixed, paraffin-embedded) stained with SAA1 antibody ABIN305908 at 5 ug/ml followed by biotinylated anti-mouse IgG secondary antibody ABIN481714, alkaline phosphatase-streptavidin and chromogen.



Immunohistochemistry

Image 2. Anti-SAA1 / Serum Amyloid A antibody IHC of human liver. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.