

Datasheet for ABIN3071826 **anti-CD4 antibody (Biotin)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	CD4
Reactivity:	Human, Rhesus Monkey, Cynomolgus
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD4 antibody is conjugated to Biotin
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	CD4 Biotin Antibody
Immunogen:	Human peripheral blood T lymphocytes
Clone:	OKT4
Isotype:	IgG2b, kappa
Characteristics:	CD4 is a 55kD type I transmembrane glycoprotein and a member of the immunoglobulin superfamily. It is a specific marker for T lymphocytes, monocytes, macrophages, and dendritic cells. Through interaction of MHC-II, CD4 facilitates cell-cell interaction, thymic differentiation, and activation of downstream signaling cascades. HIV infection of T-cells is instigated through binding of HIV to CD4. The OKT4 binds to the D3 domain of CD4 and does not inhibit HIV binding.
Purification:	Purified
Purity:	>95 %

Product Details

Grade: GMP Grade

Target Details

Target: CD4

Alternative Name: CD4 ([CD4 Products](#))

NCBI Accession: [NM_000616](#)

UniProt: [P01730](#)

Pathways: [TCR Signaling](#), [Maintenance of Protein Location](#), [CXCR4-mediated Signaling Events](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 0.5 mg/mL


Buffer: PBS pH 7.2, 0.09 % sodium azide

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C

Storage Comment: 2-8°C, Conjugated antibodies should never be frozen.



Flow Cytometry

Image 1.