

## Datasheet for ABIN3071856

# anti-CD59 antibody (FITC)





#### Go to Product page

#### Overview

Quantity:	100 tests
Target:	CD59
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD59 antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)

#### **Product Details**

Durnaga	
Purpose:	CD59 FITC Antibody
Immunogen:	Human K562 tumor cells
Clone:	BRA-10G
Isotype:	IgG1, kappa
	The clone BRA-10G binds with human CD59, a 20 kDa glycosyl phosphatidyl-inositol (GPI)-anchored cell surface protein. CD59 regulates complement-mediated cell lysis and is a potent inhibitor of the complement membrane attack complex. CD59 is widely distributed on cells in all tissues. The CD59 expression on erythrocytes is important for their survival. Genetic defects in GPI-anchor attachment, that cause a reduction or loss of CD59 and CD55 on erythrocytes produce the symptoms of the disease paroxysmal hemoglobinuria (PNH). This MAb is useful for study on GPI-anchored proteins, PNH and CD59 functions.
Purification:	Purified

## **Product Details** >95 % Purity: Grade: **GMP** Grade **Target Details** CD59 Target: Alternative Name: CD59 (CD59 Products) NCBI Accession: NP\_000602, NP\_001120695, NP\_001120697, NP\_001120698, NP\_001120699, NP\_976074, NP\_976075, NP\_976076 UniProt: P13987 Complement System Pathways: **Application Details Application Notes:** Optimal working dilution should be determined by the investigator. Restrictions: For Research Use only Handling Liquid Format: Concentration: 50 μg/mL Buffer: PBS pH 7.2, 0.2 % (w/v) BSA, 0.09 % (w/v) sodium azide Preservative: Sodium azide

should be handled by trained staff only.

2-8°C, Conjugated antibodies should never be frozen.


4°C

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which

Precaution of Use:

Storage Comment:

Storage:



### Flow Cytometry

Image 1.