

Datasheet for ABIN3073806

TAF1A Protein (AA 1-450) (Strep Tag)



Go to Product page

_				
()	VE	r\/		Λ/
()	V C	I V	1	v v

Quantity:	1 mg
Target:	TAF1A
Protein Characteristics:	AA 1-450
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TAF1A protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

	have a special request, please contact us.
	system, a different complexity of the protein could make another tag necessary. In case you
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	ILKQDHQILG KKIKRMKRSV KKYSIVNPRL
	MGNHLAWVQE EWNSRKNWWP GFHFSYFWAK SDWKEDTALA CEKAFVAGLL LGKGCRYFRY
	YQIVPSHKLM LEFHTLLRKS EKEEHRKLGL EVLFGVLDFA GCTKNITAWK YLAKYLKNIL
	KSYVEMLEFY GDRDGAQEVL TNYAYDEKFP SNPNAHIYLY NFLKRQKAPR SKLISVLKIL
	AYKGLLQYYT WSEKKMELSK LDKDDYAYNA VAQDVFNHSW KTSANISALI KIPGVWDPFV
	FANRMKNIGV MNYLKISLQH ALYLLHHGML KDAKRNLSEA ETWRHGENTS SREILINLIQ
	IQEALLKHQW QQAAEYMYSY FQTLEDSDSY KRQAAPEIIW KLGSEILFYH PKSNMESFNT
Sequence:	MSDFSEELKG PVTDDEEVET SVLSGAGMHF PWLQTYVETV AIGGKRRKDF AQTTSACLSF
Brand:	AliCE®
Product Details	
, pproducti.	
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

	TAF1A
Alternative Name:	TAF1A (TAF1A Products)
Background:	TATA box-binding protein-associated factor RNA polymerase I subunit A (RNA polymerase I-specific TBP-associated factor 48 kDa) (TAFI48) (TATA box-binding protein-associated factor 1A) (TBP-associated factor 1A) (Transcription factor SL1) (Transcription initiation factor SL1/TIF-IB subunit A),FUNCTION: Component of the transcription factor SL1/TIF-IB complex, which is involved in the assembly of the PIC (pre-initiation complex) during RNA polymerase I-dependent transcription. The rate of PIC formation probably is primarily dependent on the rate of association of SL1/TIF-IB with the rDNA promoter. SL1/TIF-IB is involved in stabilization of nucleolar transcription factor 1/UBTF on rDNA. Formation of SL1/TIF-IB excludes the association of TBP with TFIID subunits. {ECO:0000269 PubMed:11250903, ECO:0000269 PubMed:11283244, ECO:0000269 PubMed:7801123}.
Molecular Weight:	52.7 kDa
UniProt:	Q15573
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
	as well. As the protein has not been tested for functional studies yet we cannot offer a

Handling

Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	