

# Datasheet for ABIN3073955

# TBL1X Protein (AA 1-577) (Strep Tag)



Go to Product page

_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Quantity:	250 μg
Target:	TBL1X
Protein Characteristics:	AA 1-577
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TBL1X protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MTELAGASSS CCHRPAGRGA MQSVLHHFQR LRGREGGSHF INTSSPRGEA KMSITSDEVN
	FLVYRYLQES GFSHSAFTFG IESHISQSNI NGTLVPPAAL ISILQKGLQY VEAEISINED
	GTVFDGRPIE SLSLIDAVMP DVVQTRQQAF REKLAQQQAS AAAAAAAATA AATAATTTSA
	GVSHQNPSKN REATVNGEEN RAHSVNNHAK PMEIDGEVEI PSSKATVLRG HESEVFICAW
	NPVSDLLASG SGDSTARIWN LNENSNGGST QLVLRHCIRE GGHDVPSNKD VTSLDWNTNG
	TLLATGSYDG FARIWTEDGN LASTLGQHKG PIFALKWNRK GNYILSAGVD KTTIIWDAHT
	GEAKQQFPFH SAPALDVDWQ NNTTFASCST DMCIHVCRLG CDRPVKTFQG HTNEVNAIKW
	DPSGMLLASC SDDMTLKIWS MKQEVCIHDL QAHNKEIYTI KWSPTGPATS NPNSNIMLAS
	ASFDSTVRLW DIERGVCTHT LTKHQEPVYS VAFSPDGKYL ASGSFDKCVH IWNTQSGNLV
	HSYRGTGGIF EVCWNARGDK VGASASDGSV CVLDLRK
	Sequence without tag. The proposed Strep-Tag is based on experience s with the express

# system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

# **Target Details**

TBL1X	
E: TBL1X (TBL1X Products)	
F-box-like/WD repeat-containing protein TBL1X (SMAP55) (Transducin beta-like protein 1X)	
(Transducin-beta-like protein 1, X-linked),FUNCTION: F-box-like protein involved in the	
recruitment of the ubiquitin/19S proteasome complex to nuclear receptor-regulated	
transcription units (PubMed:14980219). Plays an essential role in transcription activation	
mediated by nuclear receptors. Probably acts as integral component of corepressor complexes	
that mediates the recruitment of the 19S proteasome complex, leading to the subsequent	
proteasomal degradation of transcription repressor complexes, thereby allowing cofactor	
exchange (PubMed:21240272). {ECO:0000269 PubMed:14980219,	
ECO:0000269 PubMed:21240272}.	
62.5 kDa	
060907	
Sensory Perception of Sound, Regulation of Lipid Metabolism by PPARalpha	
In addition to the applications listed above we expect the protein to work for functional studies	
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a	
as well. As the protein has not been tested for functional studies yet we cannot offer a	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce	

# Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months